



**Powerology**

**200W GAN  
CHARGING TERMINAL**

SKU: PW3PD2Q



# Table of Contents

Product Overview	2
Specifications	2
Protection	3
Product Sections	3
Setup Guide	4
Disposal	4
Warranty	5
Contact Us	5

## Product Overview

The Powerology 200W GaN Charging Terminal is designed to provide simultaneous fast charging for multiple devices. With a total output of 200W, it supports rapid charging for laptops, smartphones, and other devices. The terminal features PowerDash 3.0 for efficient charging and includes a built-in voltage display. It offers multiple USB ports for versatile use and supports a 100W Power Delivery (PD) port for high-speed charging. The device is equipped with Active Protect technology to safeguard both the terminal and your devices, ensuring safety during use. The design also emphasizes quick charging with a 0% to 60% charge in just 35 minutes for optimal performance.

## Specifications

Model	PW3PD2Q
Input	AC 240-100V, 60/50Hz, 3A MAX
USB-C PD Output:	100W 3.3V-21V/5A, 9V/3A, 12V/3A, 15V/3A, 20V/5A
USB-C 2 Output:	100W 3.3V-21V/5A, 9V/3A, 12V/3A, 15V/3A, 20V/5A
USB-C 3 Output	100W 4.3V-21V/5A, 9V/3A, 12V/3A, 15V/3A, 20V/5A
USB-A Output	22.5W 4.5V/5A, 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A
USB-A 2 Output	22.5W 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A
USB-C ½/3 + USB-A ½ Output	15W+20W+65W+100W
Total Output	200W

## Protection

**Output Short Circuit Protection:** In the event of a short circuit, the device will stop charging to protect connected devices.


**Over Voltage Protection:** The protection system will activate to safeguard the device.

**Material**

**Plastic Housing:** Made of PC + ABS + fireproof material for enhanced safety.

## Product Sections

1. USB-C1/C2/C3 Output
2. USB-A1/A2 Output
3. Connect to alternating current



## **setup Guide**

As shown in the image above, connect to an alternating current (AC) of 100–240V.

The 200W 5-port PD+QC 3.0 charger will operate. Without load, the internal consumption is less than 300mW.

Important:

Our product is designed for use with a constant AC voltage of 100–240V. Using it with higher or lower voltages is unsuitable.

## **Disposal**

This product must not be disposed of as unsorted household waste. It is important to separate such waste for proper treatment and recycling, in compliance with local waste management regulations.



## **Warranty**

Products that you buy directly from our **Powerology** website or shop come with a 24-month warranty.

The 24-month warranty applies to products purchased directly from our **Powerology** website or store. If **Powerology** products are bought from any of our verified retailers, then the product is eligible for only a 12-month warranty. To extend your product's warranty, visit our website **<https://www.powerology.me/warranty>** and fill in your details in the provided form along with an uploaded picture of the product to process your request. Once approved, you will receive a confirmation email of the extended product warranty. Upload the required information within 48 hours of purchase to be eligible for a 24-month warranty period.

For more info, please check:

**<https://www.powerology.me/warranty>**

## **Contact Us**

If you have any questions about this Privacy Policy, please contact us at: **[hey@powerology.me](mailto:hey@powerology.me)**

Website: **<https://www.powerology.me/>**

Instagram: **[powerology\\_official](#)**

Facebook: **[powerology.ME](#)**